

Стара опрема

Назив и ознака опреме	Основне карактеристике	Фотографија
Аналогни Осцилоскоп <i>HAMEG</i> HM 205-02	Двоканални; Пропусни осег: 20MHz; Вертикална осетљивост: 2mV/div.	
Аналогни осцилоскоп <i>Sinometer YB4320C</i>	Двоканални; Пропусни осег: 25MHz; Вертикална осетљивост: 5mV/div.	
Аналогни осцилоскоп <i>Ruski</i> C1-94	Пропусни осег: 10MHz; Вертикална осетљивост: 5mV/div.	

Једносмерни извори напона/струје <i>Iskra</i> MA 4163	Излаз: 0-33V, 0,44A.	
Трофазни регулациони трансформатор <i>Iskra</i>	Опсег: 0 – 500V; Назначена струја: 10A.	
Једнофазни Аутотрансформатор	Опсег: 0 – 250V; Назначена струја: 4A	

Кондензаторска декадна кутија <i>Iskra</i> MA 2600	Опсег: 0 – 1010 μF	 A photograph of the Iskra MA 2600 decade capacitor box. It is a white, rectangular device with two large rotary switches on the front panel. The top switch is labeled 'pF' and has a scale from 0 to 10000. The bottom switch is labeled 'nF' and has a scale from 0 to 10. The device has three output terminals at the bottom: two black and one red. The text 'KONDENZATORSKI IZBIRALNIK MA 2600' is printed on the front panel.
Кондензаторска декадна кутија <i>Iskra</i> MA 2405	Опсег: 0-100nF	 A photograph of the Iskra MA 2405 decade capacitor box. It is a blue, rectangular device with three rotary switches on the front panel. The switches are labeled 'C', 'nF', and 'pF'. The 'C' switch has a scale from 0 to 10, the 'nF' switch from 0 to 10, and the 'pF' switch from 0 to 10. The device has two output terminals on the right: a red one labeled '400V~' and a black one labeled '250V~'. A discharge switch is also present. The text 'DECADE CAPACITOR MA 2405' is printed on the front panel.
Отпорничка декадна кутија <i>Iskra</i> MA2102	Опсег: 1Ω - 12,221kΩ	 A photograph of the Iskra MA 2102 decade resistor box. It is a white, rectangular device with two rows of four rotary switches each. The top row is labeled 'A' and the bottom row is labeled 'B'. Each switch has a scale from 0 to 10. The device has two output terminals on the right: a red one labeled 'A' and a black one labeled 'B'. The text 'DECADE RESISTOR MA 2102' is printed on the front panel.

Реостати са клизачима	Опсег: 0 – 600 Ω, 0,5A; 0 – 100 Ω, 1,8A; 0 – 120 Ω, 1,2A; 0 – 22 Ω, 5A.	
Волтметри <i>Iskra</i>	15, 30, 60 VAC	
Амперметри <i>Iskra</i>	0.5, 6, 15 AAC 1, 5, 25 ADC	